

SAFETY DATA SHEET CITRUS SPLASH & ORANGE SQUEEZE

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PRODUCT USE:	Citrus Splash & Orange Squeeze Air Freshener	
SUPPLIER: ADDRESS:	California Scents 18850 Von Karman, Suite 200 Irvine, California 92612	
EMERGENCY PHONE:	24-HR Telephone (Domestic US): 800-255-3924 24-HR Telephone (International, collect): 00-1-813-248-0585	
ISSUE DATE:	9/04/07	
SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS		

HAZARDOUS INGREDIENTS: None

*The product contains additional non-hazardous or trade-secret components including aroma chemicals, essential oils and natural extracts, the exact components are considered by California Scents (a California Corporation) to be trade secrets and are withheld in accordance with the provisions of Section 1910.1200 of Title 29 of the Code of Federal Regulations.

California Scents does not anticipate any harmful effects from this product providing good manufacturing practices are adhered to.

INGREDIENT:			0/ M/T	
NA*	<u>ec no.</u> NA	<u>cas no.</u> NA	<u>% wt</u> NA	<u>% VOL</u> NA
		ppm	<u>m</u>	<u>g/m3</u>
OSHA PEL-TWA:		NA	N	A
OSHA PEL STEL :		NA	N	A
OSHA PEL CEILING:		NA	Ν	A
ACGIH TLV-TWA:		NA	Ν	A
ACGIH TLV STEL:		NA	N	A
ACGIH TLV CEILING:		NA	N	A

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: <u>ROUTE(S) OF ENTRY</u>: <u>POTENTIAL HEALTH EFFECTS SHORT TERM/ACUTE EXPOSURE:</u>

Product is not considered to be Hazardous according to OSHA and WHMIS criteria

Eyes	Yes	Inhalation:	No	Skin: No	Ingestion: Unlikely
------	-----	-------------	----	----------	---------------------

EYE CONTACT: May cause mild irritation after prolonged and repeated contact with the eyes.

SKIN CONTACT: Low order toxicity. Frequent prolonged contact may irritate and cause dermatitis. Occasional brief contact will not result in significant irritation unless evaporation is impeded.

SKIN ABSORPTION: No known toxicity related to absorption through skin.

INHALATION: Nontoxic

INGESTION: Minimal toxicity. May cause headaches, nausea, vomiting, dizziness, gastrointestinal irritation.

CHRONIC HEALTH HAZARDS: No further data known

CARCINOGENICITY: NTP: NO ARC Monographs: NO OS

OSHA Regulated: NO

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None known

SECTION 4: FIRST AID MEASURES

EYES: Remove contact lenses from eyes. Flush with large amounts of running water for at least 15 minutes while holding upper and lower lids open. If irritation persists, contact a physician immediately.

SKIN: Cleanse with soap and water. Remove contaminated clothing and launder before reuse. If irritation persists, contact a physician.

INGESTION: Do not induce vomiting. Offer water. Do not give anything by mouth to an unconscious person. Contact a physician immediately.

INHALATION: Rest in well ventilated area. Oxygen may be administered if breathing is difficult. If irritation or difficult breathing persists, seek immediate medical attention.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: No further data known

SECTION 5: FIRE-FIGHTING MEASURES

FIRE AND EXPLOSIVE PROPERTIES:

FLAMMABLE LIMITS IN AIR, UPPER: (% BY VOLUME) LOWER:	Not Established Not Established		
FLASH POINT: (Closed Cup): FLAMMABLE CLASS:	121 - 127 °F Combustible		
AUTOIGNITION TEMPERATURE:	Not Established		
NFPA HAZARD CLASSIFICATION HEALTH: 1 FL	AMMABILITY: 1	REACTIVITY: 0	OTHER: NA

EXTINGUISHING MEDIA: CO2, Foam, Dry Chemical

MATERIAL/CONDITIONS TO AVOID: Avoid strong oxidizing agents and excessive heat.

SPECIAL FIRE FIGHTING PROCEDURES: Treat as oil fire. Use water to cool surrounding containers of flammable or combustible material. Use a self contained breathing apparatus and protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

HAZARDOUS DECOMPOSITION PRODUCTS: Fire creates Carbon monoxide (CO) Carbon dioxide (CO₂).

SECTION 6: ACCIDENTAL RELEASE MEASURES

CLEAN-UP MEASURES: Wear protective gloves and in case of splashes chemical goggles or face shield. In case of inadequate ventilation, use respiratory protection. Remove sources of ignition. Stop spill or leak if it can be done safely. Small Spills: Wipe up with paper rags. Dispose in metal closed containers. Large Spills: Absorb with a suitable non-flammable, absorbent material such as paper or sand, and dispose in a closed metal container. Waste materials should be disposed of in accordance with all government regulations.

SECTION 7: HANDLING AND STORAGE

HANDLING: As with any chemical, handle the product in a manner that minimizes exposure to practicable levels. Prior to handling, consult Section 8 of this MSDS to evaluate personal protective equipment needs. Open containers slowly to relieve any pressure. Follow all other standard industrial hygiene practices. Empty containers may contain product residue. All safety precautions taken when handling this product should also be taken when handling empty drums and containers. Keep containers closed when not in use.

STORAGE: Store in tightly closed containers in a cool area. Do not expose to temperatures above 35 degrees C.

OTHER PRECAUTIONS: For Industrial & Institutional use only.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: No recommended exposure limits. This product is designed and intended to provide fragrance to an enclosed area. If fragrance odor is concentrated beyond comfort, provide additional ventilation to the enclosed area.

RESPIRATORY PROTECTION: This product is designed and intended to provide fragrance to an enclosed area. If fragrance odor is concentrated beyond comfort, provide additional ventilation to the enclosed area.

EYES: Avoid contact with eyes. The use of safety glasses is recommended.

EQUIPMENT & APPAREL: Avoid contact with skin. The use of chemical resistant gloves is recommended. Acceptable Industrial hygiene practices should be maintained.

GENERAL HYGIENE Consideration and Work Practices: Acceptable industrial hygiene practices should be maintained. Use product as directed on label.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
APPEARANCE:	Pale yellow	ODOR:	Citrus
PHYSICAL STATE:	Liquid	pH AS SUPPLIED:	NA
BOILING POINT:	NA	MELTING POINT:	NA
FREEZING POINT:	NA	VAPOR PRESSURE:	NA
VAPOR DENSITY (AIR = 1):	NA	PERCENT VOLATILE:	NA
SOLUBILITY IN WATER:	Insoluble	PERCENT SOLIDS:	NA
MOLECULAR WEIGHT:	Mixture	VISCOSITY:	NA
SPECIFIC GRAVITY (H2O = 1):	NA		

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Product is stable under normal temperatures conditions.

CONDITIONS TO AVOID (STABILITY): Increased temperatures for prolonged periods of time.

INCOMPATIBILITY (MATERIAL TO AVOID): Strong Oxidizing Agents

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon Monoxide and/or Carbon Dioxide

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID (POLYMERIZATION): Will not polymerize

SECTION 11: TOXICOLOGICAL INFORMATION

EYE EFFECTS: Prolonged contact may cause irritation to the eyes.

SKIN EFFECTS: Prolonged contact may cause irritation to the skin

INHALATION EFFECTS: No further toxicological data known.

INGESTION: Minimal toxicity. May cause headaches, nausea, vomiting, dizziness, gastrointestinal irritation. **OTHER:** No further data known.

SECTION 12: ECOLOGICAL INFORMATION

MOBILITY: The product is not soluble in water.

BIOACCUMULATION: No data available.

DEGRADABILITY: No data available.

ACUTE FISH TOXICITY: No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Ensure that collection, transport, treatment, and disposal of waste product, containers and rinsate complies with all applicable laws and regulations. Note that use, mixture, processing, or contamination of the product may cause the material to be classified as a hazardous waste. It is the responsibility of the product user or owner to determine at the time of disposal, whether the product is regulated as a hazardous waste.

RCRA HAZARD CLASS: NA

SECTION 14: TRANSPORT INF	ORMATION	
U.S. DEPARTMENT OF TRANSF	ORTATION	
PROPER SHIPPING NAME:		Consumer Commodity
HAZARD CLASS:		ORM-D
VESSEL TRANSPORTATION		
PROPER SHIPPING NAME:		Flammable Liquid N. O. S.
HAZARD CLASS:		Class 3
ID NUMBER:		UN1993
PACKING GROUP:		III
AIR TRANSPORTATION		
PROPER SHIPPING NAME:		Flammable Liquid N. O. S.
HAZARD CLASS:		Class 3
ID NUMBER:		UN1993
PACKING GROUP:		III
OTHER AGENCIES:		Not Regulated
SECTION 15: REGULATORY INF	FORMATION	
RISK PHRASES:	NC	Not classified

SAFETY PHRASES:	NC	Not classified

U.S. FEDERAL REGULATIONS

SARA 313: This product contains none of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CLEAN WATER ACT / OIL POLLUTION ACT: This product contains none of the chemicals subject to regulation by Section 311 of the Clean Water Act and the Oil Pollution Act. Releases of the product into or leading to surface waters must be reported to the National Response Center at 1-800-424-8802.

CERCLA REPORTABLE QUANTITY: Any components listed below have been assigned a reportable quantity (RQ) by the Federal EPA. Release of the product into the environment that exceed the RQ for a particular component must be reported to the National Response Center at 1-800-424-8802.

TOXIC SUBSTANCES CONTROL ACT: The components of this product are listed on the TSCA Inventory.

OZONE DEPLETING SUBSTANCES: This product contains no ozone depleting substances as defined by the Clean Air Act.

HAZARDOUS AIR POLLUTANTS: Any components listed below are defined by the Federal EPA as hazardous air pollutants.

COMPONENT:

None

STATE REGULATIONS: Check with the appropriate state agency to determine whether regulations exists.

INTERNATIONAL REGULATIONS

EU DIRECTIVES: Dangerous Substances Directive (67/548/EEC). Dangerous Preparations Directive (1999/45/EC). Safety Data Sheets Directive (91/155/EEC)(As amended).

STATUTORY INSTRUMENTS: Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE: Classification and labeling of Substances and Preparations Dangerous for Supply

GUIDANCE NOTES: Workplace Exposure Limits EH40. Introduction to local Exhaust Ventilation HS(G)37. CHIP for everyone HSG108)

WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM - WHMIS

Flammable means that the material will burn or catch on fire easily at normal temperatures (below 37.8 degrees C or 100 deg F). Combustible materials must usually be heated before they will catch on fire at temperatures above normal (between 37.8 and 93.3 deg C or 100 and 200 deg F). Reactive flammable materials are those which may suddenly start burning when it touches air or water, or may react with air or water to make a flammable gas. The material may be a solid, liquid or gas which makes up the different divisions that fall under this class.



SECTION 16: OTHER INFORMATION

ISSUED BY: California Scents

DATE OF ISSUE:9/04/07International VersionDATE OF LAST REVISION:9/19/06US versions

DISCLAIMER:

The information in this Material Safety Data Sheet was obtained from current and reliable sources. However, California Scents makes no warranty, expressed or implied, as to the accuracy, completeness or reliability of the information. The information is, to the best of California Scents' knowledge, accurate as of the date indicated. Since the condition for use, handling, storage and, disposal of this product are beyond California Scents' control, it is the responsibility of the user to determine safe conditions for the use of this product.