

MATERIAL SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION Phone Number **Company Name CHEMTREC** Nu-Calgon Wholesaler, Inc. (314) 469-7000 / (800) 554-5499 (800) 424-9300 Last Update Street Address Citv **Postal Code** State 63146-4151 2008 Altom Court St. Louis MO 1/02/07 Product Name **Product Number Product Use EPA Registration #** 4084-03 Lubricant N/A Aerosol Food Grade Silicone

SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	<u>% By Wt.</u>	CAS Number	TLV	PEL
Acetone	35 - 45	67-64-1	750 ppm	1000 ppm
Heptane	25 - 35	142-82-5	400 ppm	500 ppm
Propane	10 - 20	74-98-6	1000 ppm	1000 ppm
Isobutane	10 - 20	75-28-5	800 ppm	800 ppm

SECTION 3 – HAZARD IDENTIFICATION

Emergency Overview: DANGER: Harmful or fatal if swallowed. Extremely flammable. Keep away from open flames, hot surfaces and sources of ignition. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C). KEEP OUT OF REACH OF CHILDREN Potential Health Effects

Potential Health Effect

Eyes: Irritant

Skin: Substance may cause slight skin irritation.

Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.

Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.

Chronic Exposure: Prolonged exposure may cause chronic effects such as central nervous system effects.

Carcinogenicity: None known

Medical Conditions Aggravated be Exposure: May aggravate existing eye, skin, or upper respiratory conditions.

SECTION 4 – FIRST AID MEASURES

Eves: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If eye irritation persists, consult a specialist.

Skin: Wash off with soap and water. If skin irritation persists, call a physician.

Ingestion: DO NOT INDUCE VOMITING. Clean mouth with water and afterwards drink plenty of water. Call a physician or Poison Control Centre immediately.

Inhalation: Move to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth. Obtain medical attention.

SECTION 5 – FIREFIGHTING MEASURES

Flash Point: N/A°F

Autoignition Temp: N/A°C/N/A°F

Hazardous Products of Combustion: Carbon oxides

Flammable Limits in Air: N/A

Extinguishing Media: Foamy spray. Dry chemical. Carbon dioxide (CO2).

Fire and Explosion Hazards: Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C)

Special Firefighting Procedures: Water mist may be used to cool closed containers. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spill or Leak: Prevent product from entering drains. Should not be released into the environment. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Dispose of in accordance with local regulations.

SECTION 7 – HANDLING AND STORAGE

Handling Procedures and Equipment: Wear personal protective equipment. Do not pierce or burn, even after use. Do not spray on naked flame or any incandescent material.

Storage Requirements: KEEP OUT OF REACH OF CHILDREN. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 122°F (50°C).

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

Eve Protection: Safety glasses with side-shields

Protective Clothing: Neoprene gloves

Exposure Guidelines: See section 2

Specific Engineering Controls (such as ventilation, enclosed process): Ensure adequate ventilation, especially in confined areas Remove all sources of ignition

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Aerosol	Freezing Point: N/A°C/N/A°F	% Volatile by Weight: 59.2%
Color: Clear	Vapor Density [air =1]: Not Established.	Evaporation Rate: >1.0 (water = 1)
Odor: Solvent	Vapor Pressure: Not Established.	Specific Gravity: 0.751
Boiling Point: N/A°C/N/A°F	Solubility in Water: Partly soluble.	<u>pH (concentrate</u>): N/A

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions

Hazardous Polymerization: Hazardous polymerization does not occur

Incompatibilities: Strong oxidizing agents

Reactive Conditions to avoid: Heat, flames and sparks. Extremes of temperature and direct sunlight. Do not expose to temperatures above 54°C.

Decomposition Products: Carbon oxides

SECTION 11 – TOXICOLOGICAL INFORMATION

Hazardous Ingredients	<u>CAS #</u>	EINECS #	LD 50 of Ingredient (Specify Species)	LC50 of Ingredient (Specify Species)
Acetone	67-64-1	N/D	Oral LD50 Rat: 5800 mg/kg	Inhalation LC50 Mouse: 44 g/m3/4H;
Heptane	142-82-5	N/D	N/A	Inhalation LC50 Rat: 103 g/m3/4H
Propane	74-98-6	N/D	N/A	N/A
Isobutane	75-28-5	N/D	N/A	Inhalation LC50 Rat: 57 pph/15M

SECTION 12 – ECOLOGICAL INFORMATION

Hazardous Ingredients	Aquatic Toxicity Data
Acetone	96 Hr LC50 rainbow trout: 5540 mg/L (static);96 Hr; LC50 fathead minnow: 6210 mg/L (flow-through);96 Hr LC50 bluegill: 8300 mg/L (static)
Heptane	24 Hr LC50 goldfish: 4.0 mg/L; 24 Hr LC50 mosquito fish: 4900 mg/L; 96 Hr LC50 cichlid fish: 375.0 mg/L
Propane	N/A
Isobutane	N/A

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal: Should not be released into the environment. Dispose of in accordance with local regulations.

SECTION 14 – TRANSPORTATION INFORMATION

Purview	Proper Shipping Name	<u>UN Number</u>	Packing Group	Hazard Class	
DOT (Land)	Consumer Commodity ORM-D	No Data.	No Data.	No Data.	
IMO (Water)	No Data.	No Data.	No Data.	No Data.	
ICAO (Air)	Aerosol, Flammable,	UN1950	No Data.	2.1	
SECTIO	N 15 – REGULATIORY INF	ORMATION			
Hazardous M	assification: (Workplace Material Information System)	A, B1, B2, D2B			
SARA Title Reauthoriza	III: (Superfund Amendments & tion Act)	No			
OSHA: (O Administrat	ccupational Safety & Health ion)	See section 2			
TSCA: (To	xic Substance Control Act)	Present			
VOC: (vola	tile Organic Compounds)	59.2%			
CPR: (Can Regulations	adian Controlled Products	This product has been classified in accordance with the hazard criteria of the Controlled Product Regulations.		a of the Controlled Products	
	European Inventory of Existing Chemical Substances)	No Data.			
	L: (Canadian Domestic Substance comestic Substance List)	Present			
	(Comprehensive Response on & Liability Act)	Acetone - 5000 lb RQ			
IDL: (Cana	idian Ingredient Disclosure List)	No Data.			
NFPA (HM Identificatio	IS) Rating: (Hazardous Materials n System)	Health=2; Fire=3; Reactivity=0 Personal protective equipment = B			

No Data.

The information contained herein is based on the data available to us and is believed to be correct. However, Nu-Calgon Wholesaler Inc. makes no warranty, expressed, or implied, regarding the accuracy of this data or the results to be obtained from the use thereof. Nu-Calgon Wholesaler Inc. assumes no liability for injury from the use of the product described herin.